



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/6**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Unit B, Sutton Parkway, Oddcroft Lane, Sutton in Ashfield,  
Nottinghamshire, NG17 5FB**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0009X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

8 Item 9 of the original Certificate is replaced by “Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN60079-0: 2012 Edition 6**

**EN60079-1: 2007 Edition 6**

**EN60079-31: 2009 Edition 1**

except in respect of those requirements listed at item 18 of the Schedule.”

9 The marking of the equipment has changed from the original Certificate and shall include the following:

**Ex II 2 GD Exd IIC T\* Gb Ex tb IIIC T\*°C Db (Tamb. -55°C to + °C) \* See schedule**

This certificate shall be held with the original certificate and may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0676**

Project File No. **11/1000**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.



**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Baseefa is a trading name of Baseefa Ltd

Registered in England No. 4305578. Registered address as above.

  
**R S SINCLAIR**   
DIRECTOR  
On behalf of  
Baseefa



13

**Schedule**

14

**Certificate Number Baseefa04ATEX0009X/6**

**15 Description of the variation to the Equipment or Protective System**

**Variation 6.1**

Re-design of the interior arrangement of the LD15 Beacon

**Variation 6.2**

Revision of temperature classes for the DC version of the LD15 Beacon

**Variation 6.3**

Revisions to the DC versions of the XB15 Beacon

**Variation 6.4**

Deletion of the FL15, TH15 and the AC version of the LD15 from the certificate

**Variation 6.5**

Revision to the manufacturer's address

**Variation 6.6**

The equipment covered by this certificate has been reviewed against the requirements of EN 60079-0: 2012, EN 60079-1: 2007 and EN60079-31: 2009 and compliance is confirmed.

**Variation 6.7**

The equipment marking is changed to:

**Ex II 2 GD Exd IIC T\* Gb Ex tb IIIC T\*°C Db (Tamb. -55°C to + °C) \* See below**

Beacon Type	Lamp Rating	Temperature Class
XB15	30W(15J & 10J)	T6/T85°C (T <sub>amb.</sub> -55°C to +40°C)
		T5/T100°C (T <sub>amb.</sub> -55°C to +55°C)
		T4/T135°C (T <sub>amb.</sub> -55°C to +70°C)
	30W(5J)	T6/T85°C (T <sub>amb.</sub> -55°C to +55°C)
		T5/T100°C (T <sub>amb.</sub> -55°C to +70°C)
FB15	60W or 5W LED Bulb	T4/T135°C (T <sub>amb.</sub> -55°C to +55°C)
		T3/T200°C (T <sub>amb.</sub> -55°C to +70°C)
	100W	T3/T200°C (T <sub>amb.</sub> -55°C to +40°C)
LD15	13.5W	T6/T85°C (T <sub>amb.</sub> -55°C to +55°C)
		T5/T100°C (T <sub>amb.</sub> -55°C to +70°C)

**16 Report Number**

GB/BAS/ExTR13.0026/00



**17 Specific Conditions of Use**

None additional to those listed previously

**18 Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

**19 Drawings and Documents**

<b>Number</b>	<b>Sheet</b>	<b>Issue</b>	<b>Date</b>	<b>Description</b>
379-103*	1 of 1	A	13/02/13	ATEX/IECEX Certification GA LD15 LED Beacon
379-104	1 of 1	B	13/02/13	LD15 ATEX Certification Label
276-142	1 of 1	F	12/02/13	ATEX Certification GA XB15/FB15 Beacon
276-451	1 of 1	A	01/02/13	XB15 ATEX Certification Label
276-439	1 of 1	B	13/02/13	FB15 ATEX Certification Label

\*This drawing is common to and held with IECEX BAS 05.0048X

1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres**  
**Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/7**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0009X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. **0676**

Project File No. **13/0569**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Baseefa Limited**


Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



**R S SINCLAIR**  
**GENERAL MANAGER**

On behalf of SGS Baseefa Limited

---

13 **Schedule**

14 **Certificate Number Baseefa04ATEX0009X/7**

15 **Description of the variation to the Equipment or Protective System**

**Variation 7.1**

To note correction to drawing of routine pressure test value together with minor dimensional changes that do not affect certification.

16 **Report Number**

GB/BAS/ExTR13.0174/00

17 **Specific Conditions of Use**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
276-142	1	G	12.07.13	ATEX Certification GA XB15/FL15 Beacon

1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/8**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0009X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. **0676**

Project File No. **13/0779**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Baseefa Limited**


Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



R S SINCLAIR

GENERAL MANAGER

On behalf of SGS Baseefa Limited

13

## Schedule

14

Certificate Number Baseefa04ATEX0009X/8

### 15 Description of the variation to the Equipment or Protective System

#### Variation 8.1

The manufacturer requests supplementary certification to note changes to drawings controlled under certificates Baseefa04ATEX0009X and IECEX BAS 05.0048X. These changes are related to drawing names and other minor dimensional changes that do not affect certification.

### 16 Report Number

Baseefa Certification Report GB/BAS/ExTR13.0259/00.

### 17 Specific Conditions of Use

None additional to those listed previously.

### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

### 19 Drawings and Documents

Number	Sheet	Issue	Date	Description
276-142	1 of 1	H	25/09/13	ATEX/IECEX Certification General Assembly

1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/9**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0009X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. 0676

Project File No. 14/0448

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Baseefa Limited**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

A handwritten signature in black ink, appearing to read 'R S Sinclair', with a stylized flourish extending to the right.

R S SINCLAIR

GENERAL MANAGER

On behalf of SGS Baseefa Limited



13

## Schedule

14

Certificate Number Baseefa04ATEX0009X/9

15 Description of the variation to the Equipment or Protective System

### Variation 9.1

Clarification of Temperature Classification and ambient operating temperature and marking for the beacon types as detailed in the table below.

Beacon Type	Lamp Rating Power/Energy	*Temperature Class
XB15	30W / 15 Joules	T5/T100°C (T <sub>amb</sub> -55°C to +40°C)
		T4/T135°C (T <sub>amb</sub> -55°C to +55°C)
		T4/T135°C (T <sub>amb</sub> -55°C to +70°C)
	30W / 10 Joules*	T6/T85°C (T <sub>amb</sub> -55°C to +40°C)
		T5/T100°C (T <sub>amb</sub> -55°C to +55°C)
		T4/T135°C (T <sub>amb</sub> -55°C to +70°C)
	30W / 5 Joules*	T6/T85°C (T <sub>amb</sub> -55°C to +55°C)
		T5/T100°C (T <sub>amb</sub> -55°C to +70°C)
	FB15	60W or 5W LED Bulb
T3/T200°C (T <sub>amb</sub> -55°C to +70°C)		
100W		T3/T200°C (T <sub>amb</sub> -55°C to +40°C)
LD15	13.5W	T6/T85°C (T <sub>amb</sub> -55°C to +55°C)
		T5/T100°C (T <sub>amb</sub> -55°C to +70°C)

\*Note: the 30W/10 Joule and 30W/5 Joule XB15 rating are available in DC version only.

The equipment marking is:

⊕ II 2 GD Ex d IIC T\* Gb Ex tb IIIC T\*°C Db (T<sub>amb</sub> -55°C to + °C) IP6X \*See schedule

16 Report Number

SGS Baseefa Report Number: GB/BAS/ExTR15.0187/00

17 Specific Conditions of Use

None additional to those listed previously

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
276-451	1 of 1	B	24/06/2015	XB15 ATEX Certification Label

1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres**  
**Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/10**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0009X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.


8 Item 9 of the original Certificate is replaced by “Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 60079-0:2012+A11:2013 EN 60079-1:2014 IEC 60079-28:2015 EN 60079-31:2014**

except in respect of those requirements listed at item 18 of the Schedule.”

9 The marking of the equipment has changed from the original Certificate and shall include the following:

**For XB15 & FB15:**

 **II 2 GD Ex db IIC T\*Gb**  
**Ex tb IIC T\* Db (T<sub>amb</sub> -55°C to \*°C) IP6X \*See Schedule**

**For LD15:**

 **II 2 GD Ex db op is IIC T\*Gb**  
**Ex tb op is IIC T\* Db (T<sub>amb</sub> -55°C to \*°C) IP6X \*See Schedule**

This certificate shall be held with the original certificate.

Baseefa Customer Reference No. **0676**

Project File No. **15/0188**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Baseefa Limited**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

  
**R S SINCLAIR** 

**GENERAL MANAGER**

On behalf of SGS Baseefa Limited

13

### Schedule

14

Certificate Number Baseefa04ATEX0009X/10

15

Description of the variation to the Equipment or Protective System

#### Variation 10.1

Introduction of Version (2) AC electronics together with 5, 10 and 15 Joules xenon tubes to the XB15 Xenon Beacon only.

Beacon Type	Tube Energy	Temperature class / Ambient
XB15	15 Joules	T4/T135°C (Tamb -55°C to +70°C)
		T4/T135°C (Tamb -55°C to +55°C)
		T5/T100°C (Tamb -55°C to +40°C)
	10 Joules	T4/T135°C (Tamb -55°C to +70°C)
		T5/T100°C (Tamb -55°C to +55°C)
		T6/T85°C (Tamb -55°C to +40°C)
	5 Joules	T5/T100°C (Tamb -55°C to +70°C)
		T6/T85°C (Tamb -55°C to +55°C)
		T6/T85°C (Tamb -55°C to +40°C)

#### Variation 10.2

Introduction of AC electronics to LD15 LED Beacon with rated voltage up to 254V.

#### Variation 10.3

To confirm that the type XB15 Xenon Beacon covered by this certificate have been reviewed and confirmed as being in compliance with the latest standards as listed above.

#### Variation 10.4

Introduction of new separate marking for the Type LD15 beacon:

⊕ II 2 GD Ex db op is IIC T\*Gb  
Ex tb op is IIIC T\* Db (T<sub>amb</sub> -55°C to \*°C) IP6X \*See Schedule

#### 16 Report Number

SGS Baseefa Report Numbers: GB/BAS/ExTR 15.0192/00 and GB/BAS/ExTR 15.0248/00.

#### 17 Specific Conditions of Use

None additional to those listed previously

#### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

#### 19 Drawings and Documents

Number	Sheet	Issue	Date	Description
276-451	1 of 1	C	29/06/2015	XB15 ATEX Certification Label
276-439	1 of 1	C	05/10/2015	FB15 ATEX Certification Label
*379-103	1 of 1	B	30/09/2015	ATEX/IECEx Certification GA LD15 LED Beacon
379-104	1 of 1	C	29/05/2015	LD15 ATEX Certification Label

\*This drawing is common to Baseefa04ATEX0009X and IECEx BAS 05.0048X and held with the latter.



1 **EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 EC - Type Examination Certificate Number: **Baseefa04ATEX0009X**

4 Equipment or Protective System: **TYPE XB15 XENON BEACON**

5 Manufacturer: **MEDC Limited**

6 Address: **Colliery Road, Pinxton, Nottinghamshire, NG16 6JF**

7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Baseefa (2001) Ltd. Notified body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. 03(C)0483

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 50014:1997 + Amendments 1 & 2**

**EN 50018: 2000 + Amendment 1**

**EN 50281-1-1: 1998 + Amendment 1**

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

11 This EC - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

12 The marking of the equipment or protective system shall include the following :

**⊕ II 2 GD EEx d IIC T\* (\* see schedule)**

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0676

Project File No. 03/0483

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa (2001) Ltd.**

Health and Safety Laboratory Site, Harpur Hill,  
Buxton, Derbyshire SK17 9JN

Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216  
e-mail [info@baseefa2001.biz](mailto:info@baseefa2001.biz) web site [www.baseefa2001.biz](http://www.baseefa2001.biz)  
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,  
Derbyshire, SK17 9BJ

*M Powney*  
R S SINCLAIR  
DIRECTOR  
On behalf of  
Baseefa (2001) Ltd.



13

## Schedule

14

Certificate Number Baseefa04ATEX0009X

### 15 Description of Equipment or Protective System

The Type XB15 Xenon Beacon may be rated from 12V dc. to 254V ac. with a maximum power dissipation of 30 watts and comprises a cylindrical enclosure, manufactured in glass reinforced polyester, complete with a borosilicate wellglass cemented into the centre of the cover. The wellglass may be protected by an optional guard arrangement fixed to the cover. The cover is mated to the enclosure base by a threaded joint which is then locked by a M4 x 10mm long steel grub screw.

Up to three M20 or M25 (or NPT equivalent) cable entry's are provided in the side wall of the enclosure. Internal earthing facilities are provided along side the internal component connections.

The interior of the enclosure comprises a printed circuit board (PCB) incorporating a xenon tube and control electronics, mounted on pillars from the base. In addition a terminal block with up to 12 ways and rated up to 25A is mounted in the base of the enclosure.

#### Variation 0.1

An alternative interior comprising a 60W or 100W filament lamp, mounted a ceramic lamp holder which is raised on pillars from the base, and a terminal block with up to 12 ways and rated up to 25A, mounted in the base of the enclosure.

In this form the unit is re-designated a Type FB15 Beacon.

The above units may have the following temperature class/ambient combinations :-

Beacon Type	Lamp Rating	Temperature Class
XB15	30W	T85°C (T <sub>amb</sub> = -55°C to +55°C)
		T100°C (T <sub>amb</sub> = -55°C to +70°C)
FB15	60W	T135°C (T <sub>amb</sub> = -55°C to +55°C)
		T200°C (T <sub>amb</sub> = -55°C to +70°C)
	100W	T200°C (T <sub>amb</sub> = -55°C to +40°C)

### 16 Report Number

Baseefa Certification Report 03(C)0483

### 17 Special Conditions for Safe Use

1. Painting and surface finishes, other than those applied by the manufacturer, are not permitted
2. In order to maintain the dust tight integrity of the enclosures (IP6X), the threads of cable entry devices and stopping plugs shall be sealed in accordance with the applicable code of practice for flameproof installation.

### 18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

### 19 Drawings and Documents

Number	Issue	Date	Description
276-142	A	29/04/03	General Arrangement, Type XB15 & FB15 Beacons



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/1**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **MEDC Limited**

6 Address: **Colliery Road, Pinxton, Nottinghamshire, NG16 6JF**

7 This supplementary certificate extends EC - Type Examination Certificate No. **Baseefa04ATEX0009X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. 0676

Project File No. 05/0245 & 05/0267

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**  
Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa (2001) Ltd  
Registered in England No. 4305578 at the above address

**R S SINCLAIR**  
**DIRECTOR**  
On behalf of  
Baseefa (2001) Ltd.



13

**Schedule**

14

**Certificate Number Baseefa04ATEX0009X/1**

15

**Description of the variation to the Equipment or Protective System**

**Variation 1.1**

Replacement of the xenon lamp by an 18W fluorescent lamp and associated control gear to form a Type FL15 Beacon rated up to 48V d.c. or up to 250V a.c.

**Variation 1.2**

Replacement of the xenon lamp by six banks of 5 LEDs and associated control gear to form a Type LD15 Beacon rated up to 48V d.c. or up to 254V a.c.

The full range of beacons and ratings are listed below.

Beacon Type	Lamp Rating	Temperature Class
XB15	30W	T85°C (T <sub>amb</sub> = -55°C to +40°C)
		T100°C (T <sub>amb</sub> = -55°C to +55°C)
		T135°C (T <sub>amb</sub> = -55°C to +70°C)
FB15	60W	T135°C (T <sub>amb</sub> = -55°C to +55°C)
	100W	T200°C (T <sub>amb</sub> = -55°C to +70°C)
FL15	18W	T200°C (T <sub>amb</sub> = -55°C to +40°C)
		T95°C (T <sub>amb</sub> = -55°C to +40°C)
		T105°C (T <sub>amb</sub> = -55°C to +50°C)
LD15	30W	T110°C (T <sub>amb</sub> = -55°C to +55°C)
		T95°C (T <sub>amb</sub> = -55°C to +40°C)
		T105°C (T <sub>amb</sub> = -55°C to +50°C)

16

**Report Number**

Baseefa Certification Report 05(C)0245

17

**Special Conditions for Safe Use**

None additional to those listed previously.

18

**Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

**Drawings and Documents**

Number	Sheet	Issue	Date	Description
276-196	1	A	04.04.05	General Arrangement, Type FL15 Beacon
276-222	1	A	13.04.05	General Arrangement, Type LD15 Beacon



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/2**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **MEDC Limited**

6 Address: **Colliery Road, Pinxton, Nottinghamshire, NG16 6JF**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0009X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. 0676

Project File No. 06/0261 & 06/0354

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa (2001) Ltd  
Registered in England No. 4305578 at the above address

  
R S SINCLAIR  
DIRECTOR  
On behalf of  
Baseefa (2001) Ltd.





13

## Schedule

14

Certificate Number Baseefa04ATEX0009X/2

15 Description of the variation to the Equipment or Protective System

### Variation 2.1

An alternative interior comprising a tungsten halogen lamp with a rotating screen assembly and control electronics, all attached to a mounting plate which is raised on pillars from the base. A terminal block is mounted in the base of the enclosure for the connection of incoming cables.

In this form the unit is re-designated a Type TH15 Beacon and has a maximum internal power dissipation of 40W. This unit may have the following temperature class/ambient combinations:-

Beacon Type	Lamp Rating	Temperature Class
TH15	35W	T85°C (T <sub>amb</sub> = -55°C to +40°C)
		T100°C (T <sub>amb</sub> = -55°C to +55°C)
		T115°C (T <sub>amb</sub> = -55°C to +70°C)

### Variation 2.2

An alternative type designation of SB9 for the XB15 unit only.

### Variation 2.3

Alternative label detail.

16 Report Number

Baseefa Certification Report GB/BAS/ExTR06.0099/00

17 Special Conditions for Safe Use

None additional to those listed previously.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Issue	Date	Description
276-142	B	27/04/06	Type XB15 & FB15 Beacons
276-237	A	21/03/06	Type TH15 Rotating Beacon
276-260	A	27/04/06	Alternative Label



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate      **See Schedule**  
Number:

4 Equipment or protective system:      **See Schedule**

5 Manufacturer:      **MEDC**

6 Address:      **Colliery Road, Pinxton, Nottingham, NG16 6JF**

7 This supplementary certificate extends the EC - Type Examination Certificates listed in the Schedule to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedules of the said Certificates but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

A copy of this Supplementary Certificate shall be attached to each of the original Certificates.

This certificate may only be reproduced in its entirety, without any change, Schedule included.


Baseefa Customer Reference No. 0676

Project File No. 07/0181

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa (2001) Ltd  
Registered in England No. 4305578 at the above address

  
R S SINCLAIR

DIRECTOR  
On behalf of  
Baseefa (2001) Ltd.



### Schedule

#### Description of the variation to the Equipment or Protective System

To permit the use of epoxy or acrylic paint processes on the products detailed below.

Certificate No.	Supplement No.	Equipment Type
BAS99ATEX2195X	5	XBII
BAS99ATEX2196	5	XB12,FB12,TH12,FL12,
BAS00ATEX2031	2	XB9
BAS00ATEX2097X	9	DB3, DB3L, DB4, DB4L
BAS00ATEX2098X	9	DB3E, DB3E, DB4, DB4E
BAS00ATEX2204X	1	XB10
BAS00ATEX2226X	1	XB10E
BAS02ATEX2086X	5	DB10
BAS02ATEX2105X	4	BGE, PBE
Baseefa03ATEX0084X	2	BG1, PB1
Baseefa04ATEX0009X	3	XB15, FB15, FL15, LD15, TH15
Baseefa04ATEX0166X	2	DB16 IIB
Baseefa04ATEX0167X	2	DB16 IIC
Baseefa05ATEX0198X	1	DB20 IIB
Baseefa05ATEX0199X	1	DB20 IIC

#### Report No.

None

#### Special Conditions for Safe Use

None additional to those listed previously

#### Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation

#### Drawings and Documents

Number	Issue	Date	Description
122-808	1	05/03/07	Addition of Optional Acrylic Paint to Products Listed.



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/4**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Colliery Road, Pinxton, Nottinghamshire, NG16 6JF**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0009X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. **0676**


Project File No. **09/0796**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa Ltd  
Registered in England No. 4305578. Registered address as above.

  
R S SINCLAIR  
DIRECTOR  
On behalf of  
Baseefa



13

### Schedule

14

Certificate Number Baseefa04ATEX0009X

15

#### Description of the variation to the Equipment or Protective System

##### Variation 1.1

Clarification of the routine overpressure test requirement.

16

#### Report Number

Baseefa Certification Report GB/BAS/ExTR 09.0179/00

17

#### Special Conditions for Safe Use

None additional to those listed previously

18

#### Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

#### Drawings and Documents

Number	Sheet	Issue	Date	Description
276-142	1	D	01-10-09	XB15 Xenon Beacon and FB5 Filament Luminaire
276-196	1	B	01-10-09	FL15 Steady Beacon
276-222	1	B	01-10-09	LD 15 Steady Beacon
276-237	1	B	01-10-09	TH15 Rotating Beacon



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa04ATEX0009X/5**

4 Equipment or Protective System: **Type XB15 Xenon Beacon**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Colliery Road, Pinxton, Nottinghamshire, NG16 6JF**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0009X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.



Baseefa Customer Reference No. **0676**

Project File No. **11/0148**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa Ltd  
Registered in England No. 4305578. Registered address as above.

  
  
R S SINCLAIR  
DIRECTOR  
On behalf of  
Baseefa



13

## Schedule

14

**Certificate Number Baseefa04ATEX0009X/5**

15 **Description of the variation to the Equipment or Protective System**

**Variation 5.1**

Introduction of an optional LED lamp, rated up to 5W, in place of the current filament lamp.

**Variation 5.2**

Miscellaneous minor drawing changes, including the removal of an alternative material option.

16 **Report Number**

None

17 **Special Conditions for Safe Use**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Issue	Date	Description
276-142	E	18-02-11	General Arrangement - XB15 Xenon beacon & FB15 Filament Luminaire