



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0222/6**

4 Equipment or Protective System: **SM87 Beacons**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Colliery Road, Pinxton, Nottingham NG16 6JF**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa03ATEX0222** to apply to equipment or a protective system designed and constructed in accordance with the specification set out in the Schedule of this certificate which incorporates and supersedes all previous issues of the said certificate.

8 Baseefa, Notified Body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. **GB/BAS/ExTR/09/0082/00**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN60079-0: 2009

EN60079-1: 2007

IEC60079-31: 2008

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign “X” is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

11 This Supplementary EC - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

12 The marking of the equipment or protective system shall include the following :

⊕ II 2 GD Ex d IIC T* (Ta -55°C to + **°C) Gb Ex tb IIC T°C (Ta -55°C to + **°C) Db IP66/IP67**

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0676**

Project File No. **07/1065**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Baseefa is a trading name of Baseefa Ltd

Registered in England No. 4305578. Registered address as above.



Beacon	Watts	Marked Temperature	Ambient temperature range	Cable Temperature Rise (K)
SM87 XBT/B	-	T110°C	-55°C to + 85°C	20
		T95°C	-55°C to + 70°C	
		T80°C	-55°C to + 55°C	
		T65°C	-55°C to + 40°C	
SM87 LED White	4	T70°C	-55°C to + 55°C	20
		T55°C	-55°C to + 40°C	
SM87 LED Blue	5.6	T70°C	-55°C to + 55°C	20
		T55°C	-55°C to + 40°C	

16 Report Number

Baseefa Certification Report GB/BAS/ExTR09.0082/00

17 Special Conditions for Safe Use

None.

18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

19 Drawings and Documents

The drawings indicated below amalgamate the current design and previous variations, and supersede all previous issues.

Number	Sheet	Issue	Date	Description
562-749	1	A	11.08.10	XHB, XBT, LU1, LU3, LED Assemblies
562-749	2	A	11.08.10	XHB, XBT, LU1, LU3, LED Assemblies
562-749	3	A	11.08.10	XHB, XBT, LU1, LU3, LED Assemblies

13

Schedule

14

Certificate Number Baseefa03ATEX222/6

15 Description of Equipment or Protective System

The Type SM87 Beacons comprise a cylindrical enclosure on a square base and a cover provided with a glass dome to component enclosure Baseefa09ATEX0018U. The base and cover may be manufactured from either aluminium or stainless steel and the cover is secured by screws of grade A4-80 stainless steel. The base is provided with up to four threaded cable entries. The units may be joined together by the manufacturer's supplied coupling up to a maximum of 5 units.

The enclosure contains various internal arrangements to form the following:-

A filament lamp and terminals to form a **Type SM87 LU3** rated up to 240Vac, 10W, 25W or 40W.

A fluorescent lamp, a PCB and terminals to form a **Type SM87 LU1** rated up to 254Vac or 48Vdc, 5W or 10W.

A Xenon Lamp, a PCB and terminals to form a **Type SM87 HXB** rated up to 254Vac or 48Vdc, 11W.

A Xenon electronics unit PCB and terminals to form a **Type SM87 XBT/A** rated up to 254Vac or 48Vdc 11W. This unit is to drive the XTB/B unit described below.

A Xenon Lamp PCB and terminals to form a **Type SM87 XBT/B** powered from the unit above.

Four PCBs containing clusters of LEDs, a driver PCB and terminals to form a **Type SM87 LED** rated up to 48Vdc 4W (white) or 5.6W (blue).

The temperature classification and ambient temperature range for the beacons fitted with the specified lamps are indicated below.

Beacon	Watts	Marked Temperature	Ambient temperature range	Cable Temperature Rise (K)
SM87 LU3	10	T100°C	-55°C to + 70°C	30
		T85°C	-55°C to + 55°C	
		T70°C	-55°C to + 40°C	
	25	T130°C	-55°C to + 55°C	65
		T115°C	-55°C to + 40°C	
		T155°C	-55°C to + 55°C	
40	T140°C	-55°C to + 40°C	110	
	T155°C	-55°C to + 55°C		
SM87 LU1	5	T85°C	-55°C to + 55°C	50
		T70°C	-55°C to + 40°C	
	10	T85°C	-55°C to + 55°C	50
		T70°C	-55°C to + 40°C	
SM87 HXB	11	T95°C	-55°C to + 70°C	60
		T80°C	-55°C to + 55°C	
		T65°C	-55°C to + 40°C	
SM87 XBT/A	11	T70°C	-55°C to + 55°C	40
		T55°C	-55°C to + 40°C	



1 **EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

- 3 EC - Type Examination Certificate Number: **Baseefa03ATEX0222**
- 4 Equipment or Protective System: **SM87 BEACONS**
- 5 Manufacturer: **MEDC LIMITED**
- 6 Address: **Colliery Road, Pinxton, Nottingham, NG16 6JF**

7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Baseefa (2001) Ltd. Notified body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. **03(C)0265**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014: 1997 + Amendments 1 & 2 EN 50018: 2000 + Amendment 1 EN 50281-1-1: 1998

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

11 This EC - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

12 The marking of the equipment or protective system shall include the following :

⊕ II 2 GD EEx d IIC T* (see schedule)

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. **0676**

Project File No. **03/0265**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa (2001) Ltd.

Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN

Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ

R S SINCLAIR

DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa03ATEX0222

15 Description of Equipment or Protective System

The Type SM87 Beacons each comprise a cylindrical enclosure on a square base with a domed glass cover secured by 4 off M6 x 12mm long socket head cap screws of grade A4-80 stainless steel. The base and cover ring may be manufactured from either aluminium or stainless steel.

The interior of the units may contain one of the following lamp types and the associated control gear, each with different designations and thermal characteristics as shown below :-

TYPE SM87 ---	Lamp Type	Voltage (V)	Watts (W)	Temperature Classification T* (T _{amb} = -55°C to + °C)			
				+40°C	+55°C	+70°C	+85°C
LU3	Filament	240 ac	48	T135°C	T200°C	N/A	
LU1	Fluorescent	254 ac	10	T100°C	T135°C	N/A	
		240 ac		5	T85°C		
		110/120 ac	T85°C				
		12, 24, 48 dc					
HXB	Xenon	110, 240, 254 ac	11	T85°C	T135°C	T135°C	N/A
		12, 24, 30, 48 dc					
XBT/A	Xenon (Electronics unit)	110, 240, 254 ac	11*	T85°C	T135°C	N/A	
XBT/B	Xenon (Lamp unit)	12, 24, 30, 48 dc					
LED	LED	24, 48 dc	4	T85°C	T135°C	N/A	
	LED (Blue)		5.6				

* Note XBT units A & B are intended to be used together in pairs and are rated accordingly

The enclosure is provided with internal and external earth connection facilities.

Up to 4 cable entry holes threaded M20 to M25 (or NPT & Pg equivalents) are provided for the accommodation of suitable BASEEFA certified flameproof IIC cable entry devices, with or without the interposition of a suitable BASEEFA certified flameproof IIC thread adapter. Unused entries are to be fitted with suitable BASEEFA certified flameproof IIC stopping plugs.

Suitable flameproof IIC cable entry devices, thread adapters and stopping plugs certified as Equipment (not a Component) under an EC Type Examination Certificate to Directive 94/9/EC may also be used in the manner specified above.

If the unit is intended for use in a dust atmosphere these devices must be sealed in accordance with the relevant codes of practice to ensure a dust tight seal.

In addition, these units may be supplied by the manufacturer in an assembly of up to five interconnected enclosures.

16 Report Number

Baseefa Certification Report No. 03(C)0265



17 Special Conditions for Safe Use

None

18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

19 Drawings and Documents

Number	Issue	Date	Description
562-131 Sheets 1 to 3	A	26-03-03	General Arrangement, SM87 Beacons
562-130	A	28-02-03	Enclosure, Earth & Seal Detail
562-128	A	25-03-03	Cover, Machining Detail, Stainless Steel
562-129	A	25-03-03	Enclosure & Cover Detail, Aluminium
562-127	A	25-03-03	Enclosure, Machining Detail, Stainless Steel
562-132	A	26-03-03	Circuit Diagram, SM87 HXB 240V, High Power
562-133	A	26-03-03	Circuit Diagram, SM87 HXB 240V
562-134	A	23-03-03	Circuit Diagram, SM87 HXB 110/120V
562-135	A	27-03-03	Circuit Diagram, SM87 HXB 254V
562-136	A	27-03-03	Circuit Diagram, SM87 HXB 24V
562-137	A	26-03-03	Circuit Diagram, SM87 HXB 48V
562-138	A	26-03-03	Circuit Diagram, Relay/Telephone Interface
562-139	A	26-03-03	Circuit Diagram, SM87 Fluorescent 12, 24 & 48V
562-140	A	26-03-03	Circuit Diagram, SM87 LED 24V
562-141	A	26-03-03	Circuit Diagram, SM87 LED 48V
562-142	A	26-03-03	Circuit Diagram, SM87 LED (Blue) 24 & 48V
562-143	A	26-03-03	Circuit Diagram, SM87 HXB 12V
562-144	A	26-03-03	Circuit Diagram, SM87 HXB 30V



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: Baseefa03ATEX0222/1

4 Equipment or Protective System: SM87 BEACONS

5 Manufacturer: MEDC Limited

6 Address: Colliery Road, Pinxton, Nottingham, NG16 6JF

7 This supplementary certificate extends EC - Type Examination Certificate No. Baseefa03ATEX0222 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. 0676

Project File No. 05/0662

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address


R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa03ATEX0222/1

15

Description of the variation to the Equipment or Protective System

Variation 1.1

Increased dimensional tolerance for the wellglass cover.

16

Report Number

None

17

Special Conditions for Safe Use

None

18

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

Drawings and Documents

Number	Issue	Date	Description
562-131 Sheets 1 to 3	B	06-10-05	General Arrangement, SM87 Beacons



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: Baseefa03ATEX0222/2

4 Equipment or Protective System: SM87 BEACONS

5 Manufacturer: MEDC

6 Address: Colliery Road, Pinxton, Nottingham, NG16 6JF

7 This supplementary certificate extends EC - Type Examination Certificate No. Baseefa03ATEX0222 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. 0676

Project File No. 07/0040

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address


R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa03ATEX0222/2

15

Description of the variation to the Equipment or Protective System

Variation 2.1

Increase in the maximum dissipated wattage of the LUI fluorescent fitting rated at 110V to 120V from 5W to 10W

16

Report Number

None

17

Special Conditions for Safe Use

None

18

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

Drawings and Documents

Number	Issue	Date	Description
562-131 Sheets 1 to 3	C	11-01-07	General Arrangement, SM87 Beacons
562-573	A	11-01-07	AC Fluorescent Ballast Circuit Diagram



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0222/3**

4 Equipment or Protective System: **SM87 BEACONS**

5 Manufacturer: **MEDC**

6 Address: **Colliery Road, Pinxton, Nottingham, NG16 6JF**

7 This supplementary certificate extends EC - Type Examination Certificate No. Baseefa03ATEX0222 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. 0676

Project File No. 07/0351

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address


PP R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa03ATEX0222/3

15

Description of the variation to the Equipment or Protective System

Variation 3.1

Increase in the depth of label fixing holes.

16

Report Number

None

17

Special Conditions for Safe Use

None

18

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

Drawings and Documents

Number	Issue	Date	Description
562-129	B	24-04-07	Enclosure/Cover Details



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

**3 Supplementary EC - Type Examination Certificate See Schedule
Number:**

4 Equipment or protective system: See Schedule

5 Manufacturer: MEDC Limited

6 Address: Colliery Road, Pinxton, Nottingham, NG16 6JF

7 This supplementary certificate extends the EC - Type Examination Certificates listed in the Schedule to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedules of the said Certificates but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

A copy of this Supplementary Certificate shall be attached to each of the original Certificates.

This certificate may only be reproduced in its entirety, without any change, Schedule included.

Baseefa Customer Reference No. 0676

Project File No. 08/0067

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

R S SINCLAIR

DIRECTOR
On behalf of
Baseefa (2001) Ltd.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address



Schedule

Description of the variation to the Equipment or Protective System

Alternative certification label wording for the units listed below and as on the scheduled drawings.

Certificate No.	Supplement No.	Equipment Type
BAS00ATEX2031	3	Type XB9 Xenon Beacon
BAS00ATEX2097X	10	Type DB3 Sounder and DB4 Speaker Units
BAS00ATEX2204X	2	Type XB10 Beacon
Baseefa02ATEX0224X	6	Type XB4 Xenon Beacon
BAS02ATEX2086X	6	Type DB10 Loudspeaker Units
Baseefa03ATEX0222	4	Type SM87 HXB & SM87 LED Beacons
Baseefa04ATEX0166X	3	Type DB16 IIB Speaker Unit

Report No.

None

Special Conditions for Safe Use


None additional to those listed previously

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

Drawings and Documents

Number	Sheet	Issue	Date	Description
227-173	-	A	28-01-08	Type XB9 Xenon Beacon
219-833	-	A	28-01-08	Type DB3 Sounder Units
199-519	-	A	28-01-08	Type DB4 Speaker Units
228-210	-	A	28-01-08	Type XB10 Beacon
188-625	-	A	28-01-08	Type XB4 Xenon Beacon
253-154	-	A	07-01-08	Type DB10 Loudspeaker Units
562-661	-	A	28-01-08	Type SM87 HXB Xenon Beacon
562-662	-	A	28-01-08	Type SM87 LED Beacon
286-145	-	A	07/01/08	Type DB16 IIB Speaker Unit



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

- 3** Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0222/5**
- 4** Equipment or Protective System: **SM87 BEACONS**
- 5** Manufacturer: **Cooper MEDC Limited**
- 6** Address: **Colliery Road, Pinxton, Nottingham, NG16 6JF**
- 7** This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa03ATEX0222** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0676**

Project File No. **10/0595**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa

Baseefa
Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.



13

Schedule

14

Certificate Number Baseefa03ATEX0222/5

15

Description of the variation to the Equipment or Protective System

Variation 5.1

To permit clear LEDs in the SM87 LED Beacon.

16

Report Number

None.

17

Special Conditions for Safe Use

None

18

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

Drawings and Documents

Number	Sheet	Issue	Date	Description
562-141	1	B	20.07.10	Circuit Diagram, SM87 LED Blue/Clear 24V & 48V

1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0222/7**

4 Equipment or Protective System: **SM87 Beacons**

5 Manufacturer: **Cooper MEDC Limited**

6 Address: **Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa03ATEX0222** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. **0676**

Project File No. **15/0438**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN


R S SINCLAIR

GENERAL MANAGER

On behalf of SGS Baseefa Limited

13

Schedule

14

Certificate Number Baseefa03ATEX0222/7

15

Description of the variation to the Equipment or Protective System

Variation 7.1

To permit an alternative type MBK 2.5 terminal, and minor drawings amendments.

Variation 7.2

To permit an increase in power of the blue and white LED versions to 7.2W.

The complete listing is indicated below.

Beacon	Watts	Marked Temperature	Ambient temperature range	Cable Temperature Rise (K)
SM87 LU3	10	T100°C	-55°C to + 70°C	30
		T85°C	-55°C to + 55°C	
		T70°C	-55°C to + 40°C	
	25	T130°C	-55°C to + 55°C	65
		T115°C	-55°C to + 40°C	
	40	T155°C	-55°C to + 55°C	110
T140°C		-55°C to + 40°C		
SM87 LU1	5	T85°C	-55°C to + 55°C	50
		T70°C	-55°C to + 40°C	
	10	T85°C	-55°C to + 55°C	50
		T70°C	-55°C to + 40°C	
SM87 HXB	11	T95°C	-55°C to + 70°C	60
		T80°C	-55°C to + 55°C	
		T65°C	-55°C to + 40°C	
SM87 XBT/A	11	T70°C	-55°C to + 55°C	40
		T55°C	-55°C to + 40°C	
SM87 XBT/B	-	T110°C	-55°C to + 85°C	20
		T95°C	-55°C to + 70°C	
		T80°C	-55°C to + 55°C	
		T65°C	-55°C to + 40°C	
SM87 LED Red/green/amber	4	T70°C	-55°C to + 55°C	20
		T55°C	-55°C to + 40°C	
SM87 LED White/Blue	7.2	T70°C	-55°C to + 55°C	20
		T55°C	-55°C to + 40°C	

16 Report Number

GB/BAS/ExTR15.0176/00.

17 Specific Conditions of Use

None.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
562-749	1-3 inc.	B	03.06.15	General Assembly SM87 – ATEX Certification